



ICAR- NATIONAL RESEARCH CENTRE ON PIG

INDIAN COUNCIL OF AGRICULTURAL RESEARCH  
RANI, GUWAHATI-781131(ASSAM)  
Phone/Fax-0361-2847195/2847946



File No .177/NRCP/2015-16/Vol.II

Date: 17.01.2017.

**Sub: TENDER ENQUIRY FOR FURNITURES & FIXTURES ...reg.**

The Director, ICAR-NRC on Pig, Rani, Guwahati invites Tender for Furniture & Fixtures for Physiology Lab of the institute as detailed below from the authorized and reputed dealers/suppliers under following terms & conditions.

**Closing Date of Tenders is 09.02.2017 at 11.00 AM**

**Tender Opening : 09.02.2017 at 11.20 AM in the Committee Hall, NRC on Pig, Rani.**

Sl.No.	Name of the items	Specifications	Qty.
1.	Lab Chair	Multipurpose Revolving chair, Adjustable height with leather cover.	02 Nos.
2.	Lab Chair	Multipurpose Non Revolving chair, Adjustable height with leather cover.	02 Nos.
3.	Modular shelf for middle slab in the lab.	<p>The entire unit should have elegant finish. High quality pre-laminated particle board (PLPB) confirming to BIS Specifications such as 12823 – 1990 (EXT) should only be used. PLPB should be chemically treated and should not warp, bulge, shrink, brittle and develop cracks. The CRCA sheet should be of non-ageing quality, confirming to IS 513: 2008 and amendments.</p> <p><b>a. LAB WORK BENCH (One on both sides)</b></p> <p>The unit will stand on metal with C Frame on PVC height adjuster with 18mm thick pre laminated high quality particle board. All exposed edges will be provided with PVC edge banding pasted with hot melt glue. The unit will have four leg spaces (two inside each lab top and working table). The entire unit will be supplied with handles and hinges where ever required. The unit will be supplied in modular pattern for rearrangement. Each unit will be provided with one side drawer consisting of one small drawer and one box drawer unit with locking facility.</p> <p>FINISH: All the metal part will be powder coated to thickness not less than 60 micron in desired shade/colour.</p> <p>WORKTOP: Worktop should be made of black coloured high quality granite of minimum thickness 18mm along with accessories and fitting resistant to Acid, Alkali &amp; Heat treatments. The granite top should have rounded edges on all exposing sides to avoid physical injury.</p>	4 nos.

REAGENT RACK: Each Work Bench will be consist of one Reagent Rack made of 25mm thick PLPB movable on the top of the work bench.

DEMENSION OF REAGENT RACK : 1000mmW x 300mm D x 700 H

PEDESTAL UNIT: The unit will consist of 2 Nos. Pedestal units made up 1.2mm thick CRCA sheet consisting of 1 No. drawer unit & 1 No. box unit.

ELECTRICAL POINTS: Each Work Bench should be provided with 02 Nos. Power point with 16/5 Amp. Modular switch and Socket Points &each Reagent Rack will consist of 02 Nos. Power Point with 16/5 Amp. Modular switch & Socket points

**b. WORKING TABLES (One on both sides)-** please see the diagram. All the working table will have wooden finish and chosen colour.


The unit will stand on a minimum of 18mm thick PLPB with height adjuster. All exposed edges should be provided with PVC edge banding pasted with hot melt glue, adjacent to the granite top table.


WORKTOP: Worktop will be 25mm thick PLP Board of chosen colour. All exposed edges should be PVC edge banded of thickness 1 mm.

Two spot lights/side have to be fixed over the reagent racks on each and one spot light inside the working tables.


High quality laboratory working stools (4 nos) and revolving chairs with back rest (4 nos) with soft cushion to be supplied.

**All other dimensions are indicated in the figures. Drawing and Outlay as detailed below for SL. No. 03 (Modular shelf for middle slab in the lab.)**






**Proposed outlay of units in the laboratory**




4.	<b>Wooden Fixer shelf in lab with sliding glass doors and lock.</b> Specification and Drawing as detailed below:	<b>04 nos.</b>
----	---	----------------


**Shelf-1**




**Shelf-2**



**Shelf-3**



**Shelf-4**



### **TERMS & CONDITIONS.**

1. The Director, ICAR-NRC on Pig, Rani, Guwahati shall have the right to reject all or any of the offers, accepted more than one offer, and assign part of the job.
2. The goods shall be supplied & installed at ICAR-NRC on Pig, Rani, and Guwahati as per the requirement within 30 days of the order by the institute. No extra charges shall be paid on account of carriage transportation etc.
3. Correction or over-writing in the tender documents is not permissible. Every sheet of the Tender document and the terms and conditions should be signed and stamped by the authorized signatory of the firm. Erasing and over-writing in the tender will render the same invalid.
4. All taxes, levies extra, if any should be specifically indicated separately in the quotation. Any variation (increase of/decrease) in taxes etc. during the currency of the contract period shall be payable as per the rules in vogue at the point of time.
5. The bidder should not have been Black listed by any Government Department/Organization. **Necessary Certificate/Undertaking should be submitted by the bidder that their firm had never been blacklisted/banned by any Govt. organization in India.**
6. The bid should be furnished in single bid system. The bid should contain the following documents as per the term & conditions of the tender document without which tender/bids will be rejected.
  - a. Proof of Registration with the CST/VAT, PAN Registration Certificate.
  - b. Proof of income tax Assessment/Return for the last Two years.
  - c. Proof of Annual Turn Over which should not less than 5 Lakhs for the Last Two years.
  - d. Proof of Completion of Certificate worth Rupees 5 Lakh from Government Department in the last three years for the similar works.
  - e. Earnest Money in the form of Demand Draft Drawn in favour of Director-ICAR-NRC on Pig, Rani, Guwahati, payable at Khanapara have to be deposited along with documents in bid of Rs.5,000.00 which shall be refunded without interest after finalization of contract.
  - f. Tender fees in the form of Demand Draft Drawn in favour of Director-ICAR-NRC on Pig, Rani, Guwahati, payable at Khanapara have to be deposited along with documents in bid of Rs.500.00.
  - g. Certificate/undertaking that the firm is never been blacklisted/banned by any Govt. organization in India.
7. **The company can physically inspect the site of supply/install of furniture before participate in the tender.**
8. **All the supplied items must have atleast 02 years warranty from the date of supply/installation.**
- 9.. More quoting of lowest rates does not mean that order shall be given to that firm. However the competent authority will decide with the view of approved sample and price quoted.

**S/d**  
**(M. Besra)**  
**Administrative Officer**